

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** EASYCLEAN SPILLSAFE  
**Product code:** B040

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

**Company name:** Concentrates Direct Ltd  
Mill House,  
Main Street,  
Tatenhill,  
Burton on Trent  
Staffordshire.  
DE13 9SD  
United Kingdom

**Tel:** +44 (0)845 450 0034  
**Email:** info@concentratesdirect.co.uk

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CLP:** Acute Tox. 4: H302; Skin Corr. 1B: H314

**Most important adverse effects:** Harmful if swallowed. Causes severe skin burns and eye damage.

### 2.2. Label elements

**Label elements:**

**Hazard statements:** H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.

**Hazard pictograms:** GHS05: Corrosion  
GHS07: Exclamation mark



**Signal words:** Danger

**Precautionary statements:** P260: Do not breathe mist / spray.  
P280: Wear protective gloves / eye protection.  
P301+312: IF SWALLOWED: Call a doctor if you feel unwell.  
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.  
Rinse skin with water.  
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

# SAFETY DATA SHEET

EASYCLEAN SPILLSAFE

Page: 2

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO - REACH registered number(s): POLYMER - REACH EXEMPT

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	10-30%

C9-11 ALCOHOL ETHOXYLATE WITH 3MEO - REACH registered number(s): POLYMER - REACH EXEMPT

-	68439-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	5-10%
---	------------	---	--------------------------------------	-------

2-(2-BUTOXYETHOXY)ETHANOL - REACH registered number(s): 01-2119475104-44-0000

203-961-6	112-34-5	-	Eye Irrit. 2: H319	1-5%
-----------	----------	---	--------------------	------

SODIUM METASILICATE PENTAHYDRATE - REACH registered number(s): 01-2119449811-37-0000

229-912-9	10213-79-3	-	Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335	1-5%
-----------	------------	---	--	------

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE - REACH registered number(s): 01-2119486762-27-0000

200-573-9	64-02-8	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-5%
-----------	---------	---	--------------------------------------	------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** Absorption through the lungs can occur causing symptoms similar to those of ingestion.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Not applicable.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

[cont...]

# SAFETY DATA SHEET

EASYCLEAN SPILLSAFE

Page: 3

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

2-(2-BUTOXYETHOXY)ETHANOL

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>	-	-

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

[cont...]

**SAFETY DATA SHEET**  
EASYCLEAN SPILLSAFE

Page: 4

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Liquid

**Colour:** Colourless

**Odour:** Perceptible odour

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Miscible in all proportions

**Viscosity:** Non-viscous

**Boiling point/range °C:** No data available.

**Flammability limits %: lower:** Not applicable.

**Flash point °C:** Not applicable.

**Autoflammability °C:** Not applicable.

**Relative density:** 1.04

**VOC g/l:** No data available.

**Melting point/range °C:** No data available.

**upper:** Not applicable.

**Part.coeff. n-octanol/water:** No data available.

**Vapour pressure:** No data available.

**pH:** >11.5

**9.2. Other information**

**Other information:** No data available.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

**Conditions to avoid:** Heat.

**10.5. Incompatible materials**

**Materials to avoid:** Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Hazardous ingredients:**

[cont...]

**SAFETY DATA SHEET**  
EASYCLEAN SPILLSAFE

Page: 5

**C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO**

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>300<2000	mg/kg

**C9-11 ALCOHOL ETHOXYLATE WITH 3MEO**

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

**2-(2-BUTOXYETHOXY)ETHANOL**

ORL	MUS	LD50	6050	mg/kg
ORL	RAT	LD50	4500	mg/kg

**Relevant hazards for product:**

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

**Symptoms / routes of exposure**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** Absorption through the lungs can occur causing symptoms similar to those of ingestion.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Section 12: Ecological information**

**12.1. Toxicity**

**Hazardous ingredients:**

**C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO**

FISH	96H LC50	1-10	mg/l
------	----------	------	------

**C9-11 ALCOHOL ETHOXYLATE WITH 3MEO**

FISH	96H LC50	1-10	mg/l
------	----------	------	------

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil.

[cont...]

**SAFETY DATA SHEET**  
EASYCLEAN SPILLSAFE

Page: 6

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Negligible ecotoxicity.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** European Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures (known as 'CLP'). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 aligned with ADR. Workplace Exposure Limits EH40.2005 (2nd edition published 2011). REACH: Regulation 1907/2006/EC effective June 1st, 2007. The raw materials used in this preparation have been pre-registered in accord with the requirements of REACH. Dangerous Preparations Directive (1999/45/EC).

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** H290: May be corrosive to metals.  
H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.